THE

Mineralogical Magazine

AND

JOURNAL

OF THE

MINERALOGICAL SOCIETY

QE
351
M3

(Instituted February 3, 1876)

Edited by M. H. HEY

VOLUME XXXI

(Nos. 232–243, 1956–58)

LONDON

THE MINERALOGICAL SOCIETY

41 Queen's Gate, London, S.W. 7

1958

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY VIVIAN RIDLER
PRINTER TO THE UNIVERSITY

TABLE OF CONTENTS

[No. 232, MARCH, 1956]

PAGE

By-laws; List of Members ix

Leonard James Spencer, Editor 1900–55; An appreciation 1

J. A. Gard and H. F. W. Taylor: Okenite and nekoite (a new mineral) (Plate I) 5

P. Gay: The structures of the plagioclase felspars: VI. Natural intermediate plagioclases 21

Wm. Scott MacKenzie: The orientation of the pericline twin lamellae in triclinic alkali felspars (Plate II) 41

J. V. Smith: The powder patterns and lattice parameters of plagioclase felspars. I. The soda-rich plagioclases 47

M. H. Hey: On the correlation of physical properties with chemical composition in multivariate systems 69

C. Osborne Hutton: Re-examination of the mineral tuhualite . . 96

[No. 233, JUNE, 1956]

Proceedings of the Mineralogical Society for 1955 xli

E. J. W. Whittaker and J. Zussman: The characterization of serpentine minerals by X-ray diffraction 107

F. H. Stewart: Replacements involving early carnallite in the potassium-bearing evaporites of Yorkshire 127

Ajit Ram Verma: A phase-contrast microscopic study of the surface structure of blende crystals (Plates III and IV) 136

Vernon J. Hurst, J. D. H. Donnay, and Gabrielle Donnay: Staurolite twinning (Plates V and VI) 145

J. E. S. Bradley and O. Bradley: A first attempt at a determination of felspars by activation analysis 164

G. H. Francis and M. H. Hey: The unit-cell contents of anthophyllite . 173

Della M. Roy: Subsolidus data for the join Ca_2SiO_4–$CaMgSiO_4$ and the stability of merwinite 187

[No. 234, SEPTEMBER, 1956]

W. Campbell Smith: Frederick Noel Ashcroft (Plate VII) 195

Th. G. Sahama, K. J. Neuvonen, and Kai Hytönen: Determination of the composition of kalsilites by an X-ray method 200

J. V. Smith and H. S. Yoder: Experimental and theoretical studies of the mica polymorphs (Plates VIII and IX) 209

S. A. Bilgrami: Manganese silicate minerals from Chikla, Bhandara District, India 236

R. B. Elliott: The Eskdalemuir tholeiite and its contribution to an understanding of tholeiite genesis 245

E. R. Segnit: The section $CaSiO_3$–$MgSiO_3$–Al_2O_3 255

H. Meixner, M. H. Hey, and A. A. Moss: Some new occurrences of gonnardite 265

R. B. Elliott: An effect of depth of focus on micrometric analysis . . 272
F. Chayes: The Holmes effect and the lower limit of modal analysis . 276
Arthur W. G. Kingsbury: The rediscovery of churchite in Cornwall . 282

[No. 235, DECEMBER, 1956]

L. H. P. Jones and Angela A. Milne: Birnessite, a new manganese oxide mineral from Aberdeenshire, Scotland 283
Arthur W. G. Kingsbury and J. Hartley: New occurrences of vanadium minerals (mottramite, descloizite, and vanadinite) in the Caldbeck area of Cumberland 289
Arthur W. G. Kingsbury and J. Hartley: Cosalite and other lead sulphosalts at Grainsgill, Carrock Fell, Caldbeck, Cumberland . . . 296
P. Gay: A note on albite twinning in plagioclase felspars 301
P. Gay and M. Bown: The structures of plagioclase felspars: VII. The heat treatment of intermediate plagioclases 306
Frank Smithson: The habit of pyrite in some sedimentary rocks (Plate XI) 314
P. A. Mohr: Trace element distribution in a garnet-chlorite rock from Foel Ddu, near Harlech, Merionethshire 319
P. S. Keeling: Sepiolite at a locality in the Keuper Marl of the Midlands . 328
Ivan Kostov: A case of epitaxic replacement 333
George Brown and C. D. Ollier: Collophane from the Chalk (Plate XII) . 339
V. Bruce Proudfoot: An occurrence of collophane in the lower Hyaena stratum at Tornewton Cave, Devon 344
G. F. Claringbull and M. H. Hey: The nature of cryphiolite . . . 346
C. S. Exley: A method of impregnating friable rocks for the cutting of thin sections 347
Arthur W. G. Kingsbury and J. Hartley: Atacamite from Cumberland and Cornwall 349

[No. 236, MARCH, 1957]

K. Norrish, Lillian E. R. Rogers, and R. E. Shapter: Kingite, a new hydrated aluminium phosphate mineral from Robertstown, South Australia 351
G. Boom: The normal-pattern finder: an aid to stereographic projection . 358
J. A. Gard and H. F. W. Taylor: A further investigation of tobermorite from Loch Eynort, Scotland 361
F. L. Stillwell and John McAndrew: Pyrosmalite in the Broken Hill lode, New South Wales 371
Frank Smithson and George Brown: Dickite from sandstones in northern England and North Wales (Plate XIII) 381
J. J. Frankel: Abraded pyrite crystals from the Witwatersrand gold mines 392
L. J. Lawrence: An unusual cassiterite paragenesis and its genetic implications 402
A. A. Moss: The nature of carphosiderite and allied basic sulphates of iron . 407
H. L. Nixon and A. H. Weir: The morphology of the Unter-Rupsroth montmorillonite (Plates XIV and XV) 413

IVAR OFTEDAL: Heating experiments on amazonite 417
G. F. CLARINGBULL, M. H. HEY, and C. J. PAYNE: Painite, a new mineral from Mogok, Burma 420
H. G. OWEN: A technique for the preparation of thin sections for thermal treatment, together with their remounting 426
H. G. OWEN: A section-holding chuck for use on high-speed surface-grinding machines 427
ARTHUR W. G. KINGSBURY: Rockbridgeite from Cornwall and Devon . 429

[No. 237, JUNE, 1957]

Proceedings of the Mineralogical Society for 1956 liii
E. Z. BASTA: Accurate determination of the cell dimensions of magnetite . 431
J. F. G. WILKINSON: Titanomagnetites from a differentiated teschenite sill . 443
P. GAY: An X-ray investigation of some rare-earth silicates: cerite, lessingite, beckelite, britholite, and stillwellite 455
N. J. SNELLING: A contribution to the mineralogy of chloritoid . . . 469
S. H. U. BOWIE: The photoelectric measurement of reflectivity . . . 476
A. F. HALLIMOND: Direct measurement of standard reflectances with the microphotometer 487
E. A. BARBOUR, H. H. BIRD, and D. P. GOLD: An occurrence of axinite in Ventersdorp lavas from Kinross, Transvaal, South Africa . . . 495
B. L. SREENIVAS: Cryptomelane from Mysore (India) 497
ARTHUR W. G. KINGSBURY and J. HARTLEY: Childrenite from the Lake District, Cumberland 498
ARTHUR W. G. KINGSBURY: A new occurrence of nadorite in Cornwall . 499
ARTHUR W. G. KINGSBURY and J. HARTLEY: New occurrences of arseniosiderite 499
ARTHUR W. G. KINGSBURY: New occurrences of phosgenite . . . 500
ARTHUR W. G. KINGSBURY and J. HARTLEY: New occurrences of rosasite in Britain 501
ARTHUR W. G. KINGSBURY and J. HARTLEY: Carpholite from Cumberland and Cornwall 502

[No. 238, SEPTEMBER, 1957]

TH. G. SAHAMA and KAI HYTÖNEN: Götzenite and combeite, two new silicates from the Belgian Congo 503
G. M. BROWN: Pyroxenes from the early and middle stages of fractionation of the Skaergaard intrusion, east Greenland (Plates XVI and XVII) . 511
LEONARD H. LARSEN and ARIE POLDERVAART: Measurement and distribution of zircons in some granitic rocks of magmatic origin . . . 544
R. A. HOWIE and A. P. SUBRAMANIAM: The paragenesis of garnet in charnockite, enderbite, and related granulites (Plate XVIII) . . . 565
D. JEROME FISHER: Isokite and triplite from Bohemia 587
N. J. SNELLING: A note on the composition of staurolite from the Caenlochan schists 603

ARTHUR W. G. KINGSBURY and J. HARTLEY: Serpierite from the Lake District 604
B. L. SREENIVAS: γ-Manganese dioxide from Mysore, India . . . 605

[No. 239, DECEMBER, 1957]

E. D. MOUNTAIN: Rhodesite, a new mineral from the Bultfontein mines, Kimberley 607
J. A. GARD and H. F. W. TAYLOR: An investigation of two minerals: rhodesite and mountainite 611
E. A. VINCENT, J. B. WRIGHT, R. CHEVALLIER, and SUZANNE MATHIEU: Heating experiments on some natural titaniferous magnetites . . 624
P. M. GAME: Plagioclases from the Juvinas meteorite and from allivalite from the Isle of Rhum 656
R. C. MACKENZIE: Saponite from Allt Ribhein, Fiskavaig Bay, Skye . . 672
R. C. MACKENZIE: The illite in some Old Red Sandstone soils and sediments 681
E. R. SEGNIT: Sapphirine-bearing rocks from MacRobertson Land, Antarctica 690
TH. G. SAHAMA and KAI HYTÖNEN: Kirschsteinite, a natural analogue to synthetic iron monticellite, from the Belgian Congo 698
D. I. BOTHWELL and A. A. MOSS: The nature of batchelorite . . . 700
ARTHUR W. G. KINGSBURY and J. HARTLEY: Beaverite from the Lake District 700

[No. 240, MARCH, 1958]

W. A. WATTERS: Some zoned skarns from granite–marble contacts near Puyvalador, in the Quérigut area, eastern Pyrenees, and their petrogenesis (Plate XIX) 703
R. A. CHALMERS, LESLEY S. DENT, and H. F. W. TAYLOR: Zeophyllite . 726
E. CHRISTIAAN DE WYS and WILFRID R. FOSTER: The system diopside–anorthite–akermanite 736
J. V. SMITH and P. GAY: The powder patterns and lattice parameters of plagioclase felspars. II 744
J. R. BUTLER: Rare earths in some niobate-tantalates 763
G. W. BRINDLEY and M. NAKAHIRA: Further consideration of the crystal structure of kaolinite 781
L. J. SPENCER: Third supplementary list of British minerals . . . 787
T. W. BLOXAM: Pumpellyite from south Ayrshire 811
ARTHUR W. G. KINGSBURY and J. HARTLEY: Jarosite and natrojarosite from the Lake District 813
ARTHUR W. G. KINGSBURY: Two beryllium minerals new to Britain: euclase and herderite 815
R. VAN TASSEL: On carphosiderite 818
T. DEANS: Isokite from Mangualde, Portugal 819

[No. 241, JUNE, 1958]

Proceedings of the Mineralogical Society for 1957 lxix
IVAN KOSTOV: Bonchevite, $PbBi_4S_7$, a new mineral 821

V. C. Farmer: The infra-red spectra of talc, saponite, and hectorite . . 829
O. von Knorring and W. Q. Kennedy: The mineral paragenesis and metamorphic status of garnet–hornblende–pyroxene–scapolite gneiss from Ghana (Gold Coast) 846
N. Joel and I. D. Muir: New techniques for the universal stage. I. An extinction curve method for the determination of the optical indicatrix . 860
N. Joel and I. D. Muir: New techniques for the universal stage. II. The determination of 2V when only one optic axis is accessible . . . 878
H. G. Midgley: A further occurrence of phosgenite 883
A. A. Moss: Alumian and natroalunite 884
D. I. Bothwell and M. H. Hey: The nature of chlorospinel . . . 885
R. J. Davis: Mordenite, ptilolite, flokite, and arduinite 887

[No. 242, SEPTEMBER, 1958]

T. C. James and Duncan McKie: The alteration of pyrochlore to columbite in carbonatites in Tanganyika (Plates XX and XXI) 889
G. F. Claringbull and M. H. Hey: New data for dumortierite . . . 901
J. H. Taylor: The formation of supergene galena at Broken Hill, Northern Rhodesia (Plate XXII) 908
J. V. Smith: The effect of composition and structural state on the rhombic section and pericline twins of plagioclase felspars 914
L. H. Ahrens: Variation of refractive index with ionization potential in some isostructural crystals 929
J. Lima-de-Faria: Heat treatment of metamict euxenites, polymignites, yttrotantalites, samarskites, pyrochlores, and allanites . . . 937
E. Aruja: On the unit cell of calcium potassium sulphate hydrate: synthetic and natural syngenite 943
Brian J. Skinner and E. Maud McBriar: Minium from Broken Hill, New South Wales 947
L. J. Spencer: Twenty-first list of new mineral names 951
C. J. Payne: A crystal of sinhalite from Mogok, Burma 978
P. G. Embrey: Condurrite: a mixture and not domeykite . . . 979

[No. 243, DECEMBER, 1958]

Title-page and Contents, Errata and Addenda
Index 981

EXPLANATION OF PLATES

FACING PAGE

Plate I. Electron micrographs of okenite and nekoite (J. A. Gard and H. F. W. Taylor) 20
„ II. Pericline twinning (W. S. MacKenzie) 46
„ III–IV. Phase-contrast microscopy of blende (A. R. Verma) . 144
„ V–VI. Staurolite twinning (V. J. Hurst, J. D. H. Donnay, and G. Donnay) 162

			FACING PAGE
Plate	VII.	F. N. Ashcroft	195
„	VIII–IX.	X-ray photographs of mica polymorphs (J. V. Smith and H. S. Yoder)	234
„	X.	Photographs and X-ray photographs of gonnardite and other zeolites (H. Meixner, M. H. Hey, and A. A. Moss)	270
„	XI.	Photomicrographs of pyrite crystals (F. Smithson). .	318
„	XII.	Photomicrographs of collophane fish scales (G. Brown and C. D. Ollier)	342
„	XIII.	Photomicrographs of dickite (F. Smithson and G. Brown)	390
„	XIV–XV.	Electron micrographs of montmorillonite (H. L. Nixon and A. H. Weir)	416
„	XVI–XVII.	Photomicrographs of pyroxenes from Skaergaard (G. M. Brown)	542
„	XVIII.	Photomicrographs of Madras and Ceylon granulites (R. A. Howie and A. P. Subramaniam)	586
„	XIX.	Zoned skarns and associated modified granite facies from the Pyrenees (W. A. Watters)	724
„	XX–XXI.	Alteration of pyrochlore to columbite in a carbonatite (T. C. James and D. McKie)	900
„	XXII.	Photomicrographs of supergene galena from Rhodesia (J. H. Taylor)	912

ERRATA AND ADDENDA

Mineralogical Magazine, vol. 19

PAGE	LINE	
42	11	*For* $(5\bar{1}5)$ *read* $(51\bar{5})$

Mineralogical Magazine, vol. 24

494 plate XVIII, Specimen H *For* 19·53 (col. Al_2O_3) *read* 19·58

Mineralogical Magazine, vol. 30

556 table II, col. 4 *For* Ab 44·5 *read* Ab 43·5

736 23 *For* veszelite *read* veszelyite

Mineralogical Magazine, vol. 31

25 table I, no. 24 *For* Esterel *read* Estérel

81 2 *For* $\hat{X} = 0{\cdot}286S + 0{\cdot}038F - 0{\cdot}115M + 0{\cdot}407C$, *read* $\hat{X} = 0{\cdot}264S + 0{\cdot}034F - 0{\cdot}116M + 0{\cdot}408C$

81 7 *For* 0·0017 *read* 0·00247

81 8 *For* 0·04 *read* 0·05

125 No. 28 of list *For* Switzerland *read* Piedmont, Italy

195 3 *For* 1911 *read* 1912.

349 6 & 7 *For* Rectangular section, similarly stained, *read* Rectangular albite is clearly distinguishable. Fig. 2 shows an impregnated section, similarly stained,

416 plates XIV and XV *For* R. H. Weir *read* A. H. Weir

442 22 *For* Geochemica Acta *read* Geochimica Acta

499 7* *For* Grains Gill *read* Grainsgill

508 Table III, col. 10, line 1 *For* 2·72 *read* 2·22

673 fig. 1 *Insert at end of caption* ×450.

790 5* *For* **38** *read* **35**

794 1* *For* **38** *read* **35**

796 9* *For* **38** *read* **35**

797 15 *For* **38** *read* **35**

798 16 *For* **38** *read* **35**

798 21 and 23 *For* analcime–basalt, Leucite–basanite, *and* leucite–kulaite, *read* analcime-basalt, Leucite-basanite, and leucite-kulaite

799 after line 8 *Insert as a new paragraph*: *Maghemite* Fe_2O_3 *Cubic* At Lyles Hill mine, Templepatrick, Co. Antrim. V. A. Eyles, Mem. Geol. Surv. Northern Ireland, 1952, pp. 34, 42–43.

799 5* *Delete* Min. Mag. 1951, vol. 29, p. 644, *and insert as a new paragraph*: In dolomite–granite contact zone at Camas Malag, Broadford, Skye. C. E. Tilley, Min. Mag., 1951, vol. 29, p. 644.

* From bottom of page.

ERRATA AND ADDENDA—*cont.*

PAGE	LINE	
804	12*	*For* **38** *read* **35**
852	22*	*For* $C_{6\cdot6}$ *read* $Ca_{6\cdot6}$
912	7	*For* Tertiary *read* mid-Tertiary
941	table II, column 4:	3·59 *should not be in italics*
942	23	*For* Geograficás *read* Geográficas
947	2	*For* E. Maud McBriar *read* E. Maud McBriar, B.Sc.
953	9	*For* Yakontova *read* Yakhontova
956	5	*For* Lachner *read* Lackner
958	1	*For* J. E. Paiva Hetto *read* J. E. de Paiva Netto
958	5	*For* Portugal *read* São Paulo, Brazil
963	3	*For* **Kadmoselite** *read* **Cadmoselite**
970	2	*For* G. H. Vertushkoe *read* G. N. Vertushkov
971	14 to 17	*Delete this entry; the use of the name* Sauconite *is restricted to the original montmorillonoid phase* (*D. M. Roy*).
973	2	*For* leonardtite *read* leonhardtite; *for* leonardite *read* leonhardite

* From bottom of page.